## STORRINGTON & SULLINGTON PARISH COUNCIL

The Parish Hall, Thakeham Road, Storrington, West Sussex, RH20 3PP 01903 746547

www.storrington-pc.gov.uk Clerk: Rebecca Luckin (CiLCA) Clerk@storrington-pc.gov.uk



**Dear Councillors** 

You are duly summoned to a

## Finance & Governance Committee Meeting Chanctonbury Room, Parish Hall, Thakeham Road, Storrington, RH20 3PP on Wednesday 29<sup>th</sup> October 2025 at 6:30pm

Members of the public are welcome to attend this meeting and speak for a maximum of two minutes about an item on the agenda for this meeting during the Public Session at the discretion of the Chair. Please note that this is a meeting held in public, not a public meeting.

Clerk to the Council - Rebecca Luckin (CiLCA)

23rd October 2025

## **AGENDA**

- 1. Apologies for absence
- 2. Declarations of interest
- 3. Minutes of the previous meeting
- 4. Matters arising for information only
- 5. Public Participation Members of the Public may comment on items on the agenda
- 6. Forecasting Position and Budget-Setting
- 7. Community Infrastructure Levy (CIL) and s106 funding
- 8. Payments List for October Committee to consider and agree
- 9. Items of expenditure Committee to consider and agree
- 10. Bank reconciliations and Internal control Committee to note / sign
- 11. Grant Application requests Committee Members to consider and agree
- 12. Procurement process
- 13. Devolution preparation
- 14. Preferred Suppliers List
- 15. Chairman's Announcements and items for the next agenda
- **16.** Date of next meeting 6.30pm Wednesday 26<sup>th</sup> November 2025.

Following the Local Audit and Accountability Act 2014, and regarding regulations on Access to Local Government Meetings, members of the public are advised that they have a right to film and/or record the meetings of Storrington and Sullington Parish Council. Members of the public are also advised that by attending a meeting or video conference of the Council, they give their consent to being filmed and/or recorded by other members of the public, if such activity is taking place. Any equipment plugged into the main electrical power supply must be PAT tested.